# Packshot Alto

Think big for your product communication



PackshotAlto L PackshotAlto XL PackshotAlto range

## The grand sized studio

The Packshot*Alto* range is designed to support persons or large objects up to 100 kg, 55 cm wide and 1.80 meter tall. This studio is perfectly fitted to help you set up your shooting and animation criteria, with an unprecedented professional rendering.

### Place, Preview, Create

With PackshotAlto, generate pictures and animations in only 3 steps:







**Preview** the object in real time on your screen



Create your visuals in a few clicks



## Your visual advantage

E-commerce : produce more web traffic and convert your leads into quality prospects with an interaction-driven strategy

Webmarketing : generate enthusiasm through impressive and innovating images of your products

Quality control : instantly check all your products thanks to the quick web and network transmission features

Public relations : publish interactive animations of your products on specialized sites

 $\ensuremath{\mathsf{R\&D}}$  : share information on your latest innovations with very precise and realistic images

Archiving : dematerialize your products and create a complete database of your many references

## Effective visual communication for high performance

Speed up your image creation process and achieve better business results:



Visual productivity x 10

- 20% abandonned shopping carts

## PackshotAlto

Expand your creativity.

The PackshotAlto range is an all-in-one solution aiming for your success in terms of visual communication.

## PackshotAlto L & PackshotAlto XL

For any kind of product, luggage, small furniture or even human beings, this grand sized studio will offer you a wide range of possibilities with an unmatched rendered image quality.

### **SLR** Option

The PackshotAlto range is also available with a SLR option. Benefit from the must-have camera for improved creativity.



## In the grand scale of things

Increase your creativity through an all-in-one solution with unrivaled abilities

Enhance the image of your products to capture the attention of your audience online

Break free of all size and weight constraints to support your largest items and increase your online visibility

Increase the rate of your online campaigns through animated images that are more realistic than ever

Give way to innovation by taking advantage of new marketing trends: Rich Media, social networks, etc.

## Discover as well our other ranges...

### PackshotCreator PackshotSpin PackshotOffice





creation solutions

Solutions for pictures and 360° animations



The fully integrated touch workstation



The automated solution for 3D and 360° solutions

### PackshotAlto

· Real-time image preview

- High Definition pictures
- · Interactive 360° animations
- · Integrated light dimmers
- · Editing and retouching tools
- Max. image resolution 4000x3000 (300 dpi)
- Saving formats Jpg, Tiff, Flash, Gif, Html5





### Technical specifications : PackshotAlto L / PackshotAlto XL

Product features	Real-time preview on screen High Definition 360° Flash, Gif and Html5 animation creation Custom animation sequence creation Cast shadow control Light dimming control Ceiling lighting Retouching tools Annotation tools FTP client Email transmission Watermark protection Original file saving
Lightbox lighting	Homogeneous daylight type lighting (6500 K, 4x36W)
Digital camera Max. image resolution Saving formats PC connection Software version	Ricoh GX200 (12 MPixels) 4000x3000 (300 dpi) Jpg, Tiff, Gif, Flash, Html5 USB 2.0 Packshot <i>Alto</i>
Lightbox dimensions (LxWxH) Packshot <i>Alto</i> L Packshot <i>Alto</i> XL Lightbox weight	100x100x195,5 cm 100x100x245 cm n/a
Recommended product dimensions (LxWxH) Packshot <i>Alto</i> L Packshot <i>Alto</i> XL Max. product weight	55x55x110 cm 55x55x180 cm 100 kg
Package composition SLR Option Software version Compatible cameras	USB lightbox Dedicated digital camera Packshot <i>Alto</i> software Cables and cords Tripod White backdrop and circular background for the turntable Packshot <i>Alto</i> SLR* Canon EOS 1000D, 1100D, 450D, 500D, 550D, 600D, 40D, 50D, 60D, 1D Mark IV, 5D Mark II, 7D Nikon D5000, D7000, D90, D300, D300s * manual camera zoom control <b>System requirements</b> OS: Windows® ME / 2000 / XP or Windows 7 (Administrator Account for 2000 and XP) CPU: Pentium® or equiv. (1 GHz or higher preferred) RAM: Min. 1 GB (2 GB preferred) VGA: Min. 1024x768, True color
	Monitor Type: CRT or LCD monitor 3 USB ports min., CD ROM Drive Internet connection with active email account (optional) Voltage AC 220-240V
Fax: +33 (0) 1 47 42 66 67 Tel.: +31 (0) 7, rue Henri Rochefort   7, rue Henri Rochefort Netherlan   75017 Paris - France Netherlan   Tel.: +31 (0) 7, rue Henri Rochefort Tel.: +31 (0) 7, rue Henri Rochefort   75017 Paris - France Netherlan   Tel.: +31 (0) 7, rue Henri Rochefort Tel.: +31 (0) 7, rue Henri Rochefort   75017 Paris - France Spain	Switzerland   (0) 24006958 - French Tel.: +41 (0) 44/5804384   (0) 207188539 - Dutch Germany   ds Tel.: +49 (0) 69/22222834   207188539 Italy   Tel.: +39 0236009069   914149910

Pictures and technical specifications may differ from actual product / may be changed without prior notice. The Packshot*Creator* and Packshot*Spin* trademarks in this document are the exclusive property of Sysnext. All rights reserved. The Flash Player trademark mentioned in this document belongs to Adobe Systems Incorporated. All other trademarks are the property of their respective owners. RCS Paris B440065660.

